



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Ricoh	Logo		
Company name *	Ricoh Company Ltd			
Contact information *	Ricoh Europe Plc, 20 Triton Street,			
e-mail address	London, NW1 3BF, United Kingdom			
Internet site *	www.ricoh.com			
Additional information				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Production Mono Printer					
Commercial name *	Pro 8300S					
Model number *	Pro 8300S					
Issue date *	30-04-2019					
Intended market *	☐ Global ☑ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other					
Additional information	Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model nu	odel number * Pro 8300S		Logo					
Issue dat	e *	30-04-2019						
	Product environmental attributes - Legal requirements							
Item	Hamauda			Yes	No	n.a.		
P1.1*		ous substances and preparations s do comply with the current European RoHS Directive. (See legal reference and N	NOTE D1)	X				
			NOIE BI)	X	井			
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		X				
P1.3*			X	$\overline{}$				
1 1.0	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetracethane, methyl bromide (see legal reference). Comment: Legal reference has no ration values.	chloride, 1,1,1- maximum	^				
P1.4*	terpheny	s do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polycyl (PCT) in preparations (see legal reference).		Х				
P1.5*	chain co	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 ca entaining at least 48% per mass of chlorine in the SCCP (see legal reference).						
P1.6*		th direct and prolonged skin contact do not release nickel in concentrations above	0,5 μg/cm ² /wee	k X				
		al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.						
P1.7*	RFACH	Article 33 information about substances in articles is available at (add URL or mai	il contact):	X				
	,	7 11.00 00 1110 1110 11 00 00 00 00 00 00 00			ш	ш		
P2	Batterie	s						
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)							
P2.2*	Batteries	ıl X						
D0.0*	reference) Batteries and accumulators are readily removable. (See legal reference)							
P2.3*		Х	Ш					
P3.1*	Conformity verification & Eco design (ErP) The product is CE-marked to show conformance with applicable legal requirements (see legal reference). X							
	The Dec	claration of Conformity can be requested at (add link or e-mail address):	egai reierence).	X	<u> </u>			
P3.2*	The product complies with the Eco design requirements for energy-related products, (see legal reference).				Ш			
	Required	d information is; given in item P15 or added to this document,			X			
		available at (add URL):						
P4		nable materials	0.010/ /		_			
P4.1*	legal ref	o conductor (drum, belt etc.) is used in the product, it does not contain cadmium merence and NOTE B1). The read of the product, it does not contain cadmium max 0,1% by weight (see least or see least		X	<u>Ц</u>	<u> </u>		
P4.2*		X						
P4.3*	are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available							
DE		al reference).						
P5.1*		t packaging	ını oodmium or	nd V				
	hexavale	ng and packaging components do not contain more than 0,01% lead, mercu ent chromium by weight of these together.			<u> </u>			
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature se legal reference).		*		<u> </u>		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal X Protocol (see legal reference).							
P6		nt: Legal reference has no maximum concentration values.						
P6.1*		ion for recyclers/treatment facilities is available (see legal reference).		X				
. 0. 1	monnati	on to respond outflood admitted to available (see legal feleration).		^				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	Pro 8300S	Logo	
Issue date *	30-04-2019		

	environmental attributes - Market requirements (See General NOTE GN below)			
-		Require	men	t met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P 7	Design Signature Control of the Cont			
P7.1*	Disassembly, recycling Parts that have to be treated separately are easily separable	X	$\overline{}$	
P7.2*		X	井	
	Plastic materials in covers/housing have no surface coating.		<u> </u>	
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	X	<u>Ц</u>	
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	X	Ц.	
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	X		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	X		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	X		
P7.8*	Upgrading can be done using commonly available tools	X		
P7.9.	Spare parts are available after end of production for: 7 years			
P7.10	Service is available after end of production for: 7 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
D7.40	Material type: PC+ABS Material type: PC+PS Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.		X	
P7.13	Insulation materials of internal electrical cables are PVC free.		Х	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%			
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts	l		
	containing more than 25% post-consumer recycled content.	•		
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low	,	Χ	
	halogen as defined in IEC 61249-2-21. (See NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:	X		
	Marking:			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):		V	
	TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:	Ш	Х	
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g		Χ	
P7.18	according ISO 1043-4: Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in			
F7.10	concentrations above 0.1%:		X	
	1. Chemical name: , CAS #: (See NOTE B4)		•	
	2. Chemical name: , CAS #: "			
	3. Chemical name: , CAS #: "	_	X	
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been		X	
	assigned the following Risk phrases; and Hazard statements: The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6):	X		
1 7.20		^		
	If YES; at least one of the two alternatives below shall be answered; Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content			
	(calculated as a percentage of total plastic by weight) is a)0.017%.			
	or			
	The weight of recycled material is b)5g			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nur	el number * Pro 8300S			Logo					
Issue date	*	30-04-2019							
Product (Product environmental attributes - Market requirements (continued) Requirement me								
Item							Ye	es No	n.a.
D7.01*			tance requirements (c		NOTE DZ\.				
P7.21*		•	aterial content is used		,		>	. Ц	
	 If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is 0.005%. or 								
	b) The	weight of	the biobased plastic m	aterial is <i>1.765</i> g.					
P7.22*			ee from mercury, i.e. lespecify: Number of lam		p. mum mercury content per	· lamp: r	ng >		
P8	Batteries								
P8.1*	-		mposition: Manganes	e Dioxide Lithium					
P9		•	ion (See NOTE B8)						
P9.1		product the	following power levels		<u> </u>				
Energy mo	de *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/St modes and te		energy	
Sleep mod STAR® Op (OM) produ	perational		W	W	W				X
Standby/of ENERGY S Mode (OM	STAR Ope	erational	W	W	W				X
TEC value TEC produ	for ENER		kWh/week	kWh/week	11.979 kWh/week				
(TEC= Typical Energy									
Operating	Mode		W	W	1731 W				
Ready Mo	de		W	W	368 W				
Sleep Mod	de		W	W	1.6 W				
Low Powe	er Mode		W	W	199 W				
			W	W	W				
			W	W	W				
External P	ower Supp	oly Efficiend	cy Level (International	Efficiency Marking F	Protocol) * :				X
Print/Scan	Speed *	:	96 images per minute						
Default tim	Default time to enter energy save mode: 60 minutes								
P9.2*	Information about the energy save function is provided with the product.								
P10	Emissio								
B			Declared according to						
P10.1	.1 Mode Mode description Statistical upper limit A-wei $L_{WA,c}$ (B)		eignted sound	power level,					
	Idle * Stand-by		•	* <i>6.3</i>		-			
	Operatio		Operating Mode	•	* 7.4				
	Other mo	l l							
	Measure	ed according		CMA-74 (only if not covered	by FCMA-74)				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model num	umber * Pro 8300S Logo										
Issue date	date * 30-04-2019										
Product e	nviron	mental attributes	s - Market require	ments (co	ntinued)			R	equire	ment	met
Item									Yes	No	n.a.
			printing products (
			o ECMA-328 Determ			sion Rates fro	om Electronic		X		
	Equipment (ISO/IEC 28360), other specify: <i>RAL-UZ171</i> Typical emission rate (operation phase) is (mg/h):										
P10.3	rypicai	emission rate (oper	ration phase) is (mg/n	1):							Ш
		ohotographic device FVOC <mark>2.9</mark>	es: Ozone 0.4 Limit o	of detection	Dust 0.5 St	yrene <i>Limit o</i>	f detection	Benzene			
	Ink devi	ices:	Du	st	Styrene	Benzene	TVOC				
	Note: co	ompliance with max	imum emission rates	in eco label	s to be decla	red in P14.					
			r printing products								
		• •	is available for the ir					,	Χ		
	Paper of EN 122		sumer recycled fiber	rs can be ι	ised, provide	ed that it mee	ets the require	ements of	Χ		
P11.3*	2-sided	(duplex) printing/co	pying is an integrated	d product fur	nction.				Χ		
P11.4*	The pro	duct is delivered to	end-user with default	auto-duple:	x enabled.				Χ		
P13		ing and documen									
	Product	t packaging materia	I type(s): <i>Pasteboard</i> I type(s): <i>Plastic</i>	weight (k							
P13.2*	Product plastic primary packaging is free from PVC.										
	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content:										
		media for user and nic X, Paper X, Oth	product documentati	on (tick box)):						
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify:										
	Totally chlorine-free X Elemental chlorine-free										
	Process	sed chlorine-free									
		ary programs:				<u> </u>					
			uirements of the follow		ry program(s	5):					
	ENERGY STAR® Criteria version: 2.0 Date: Product category: Production Printer Eco-label: Criteria version: Date: Product category: Produc										
P15	Additio	nal information (S	ee NOTE B11)								
	Sound Pressure Level at the operator position [LpA:dB(A)] Stand-by: 42.6(dB) Operating Mode: Mono: 55.3(dB)										

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1